

SS INDUSTRIES AND MARKETING

+91 99460 00868, +91 +91 95629 00068, +91 95629 33368

www.ssgroup4u.com 🛛 ssmarketing5005@gmail.com





OUR SERVICES

- PRE-ENGINEERED BUILDING (PEB)
- > TILE ROOF TRUSS WORK
- SHINGLES ROOF TRUSS WORK
- > SHEET ROOF TRUSS WORK
- > STONE COATED SHEET ROOF TRUSS WORK
- CERAMIC TILE ROOF TRUSS WORK
- WAREHOUSE WORK
- PERGOLA WORK

Palakkad

Common Wealth Village, Olavakkode Road, Palakkad, Kerala 678002

- **491 99460 00868, +91 +91 95629 00068, +91 95629 33368**
- **⊕** www.ssgroup4u.com ⊠ ssmarketing5005@gmail.com



PRE-ENGINEERED BUILDING (PEB)





STONE COATED TILE ROOF





TILE ROOF







SHINGLES ROOF





UPVC SHEET ROOF





SPACE FRAME







SS INDUSTRIES AND MARKETING

DELIVERS RELIABLE, HIGH-QUALITY SOLUTIONS WITH A PROVEN TRACK RECORD, READY TO BRING EXPERTISE TO EVERY PROJECT.



ROMAN 12® IMPORTED CLAY ROOF TILES

MONIER

Features

- Weatherproof and attractive finish
- Deep interlock for water tightness
- Low water absorption of <7%
- State-of-the-art manufacturing process

Technical Data

Width & Height	45.1 cm x 27.1 cm (45.6 cm x 27.3 cm for Natural Red)
Weight	3.9 kg
Batten space	37.5 cm (38 cm for Natural Red)
Tile / sqm	12 pcs
Min Slope Regmt	20 Degree

*These values are given for information purposes only and may be subject to change

Available Colour








Charcoal



Cachou








52/590(1), Common Wealth Village, Olavakkode Road, Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com




[8] https://www.instagram.com/ss_industries_and_marketing/

D chat @ 9946000868



Authorized Roofing Partner







Features

- Suitable for humid and temperate weather conditions
- Water absorption of < 7%
- High breaking strength
- Highly weather resistant
- Easy and quick installation



Technical Data

Width & Height	447 mm x 263 mm
Weight / tile	3.2 kg
Tile / sqm	12.5 pcs
Min slope Regmt	20 Degree
Batten space	345 mm to 360 mm

^{*}These values are given for information purposes only and may be subject to change

COLOURS







Natural Red Vintage* Antique*

Fittings



Ridges



4 Way Junction



Ridge Starters



3 Way Junctions

Roof System Components for Functionality







Easyflash for waterproof abutments



Valley Metal Sheet for water orienteering



Voltisun RadenShield for

waterproofing and heat reduction




Radiant Barrier for heat reduction



Luxron rain water gutter system

52/590(1), Common Wealth Village, Olavakkode Road, Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com




https://www.instagram.com/ss_industries_and_marketing/

D chat @ 9946000868



Authorized Roofing Partner





PLANA

IMPORTED CLAY ROOF TILES

Features

- Weatherproof and perfect finish
- Deep interlock for water tightness
- Contemporary design
- State-of-the-art manufacturing technology

282 mm 454 mm

Technical Data

Width & Height	283 mm x 454 mm
Weight	~ 4.0 to 4.5 kg
Batten space	320 to 375 mm
Tile / sqm	11 pcs
Min slope Reqmt	20 Degree


MONIER








Brown







52/590(1), Common Wealth Village, Olavakkode Road, Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com




(3) https://www.facebook.com/ssindustriespkd/

[9] https://www.instagram.com/ss_industries_and_marketing/

chat @ 9946000868

Authorized Roofing Partner





COPPO DOMUS

IMPORTED CLAY ROOF TILES

Features

- Good performance in terms of strength, impermeability and durability
- Suitable for low pitched roofs* (>20° onwards)
- Available in attractive natural finish

Available Colours



Rustic

MONIER

Technical Data

278 mm


460 mm

Width & Height	278 mm x 460 mm
Weight	~ 3.6kg
Batten space	370 mm to 380 mm
Tile / sqm	11.5 pcs
Min slope Reqmt	20 Degree

^{*}These values are given for information purposes only and may be subject to change

* $\bar{\textit{Austic}}$ is a combination of three tiles in random pattern







52/590(1), Common Wealth Village, Olavakkode Road, Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com





https://www.instagram.com/ss_industries_and_marketing/

● chat.@ 9945000868



Authorized Roofing Partner







Toscana® is a new range in our Heritage Collection. A modern version of the classic high-roll profile seen on roofs throughout Europe for centuries. Manufactured in our factory in Malaysia.

Features

- Excellent Geometric Accuracy
- Strong & Durable
- Enhanced Water Tightness
- Interlocking Roof System



PRODUCT & TEC	HNICAL DATA
Dimension	290mm (W) x 430mm (L)
Batten Spacing	350mm (±5mm)
Coverage	12pcs/m²
Weight	3.85kg/pc
Minimum Pitch	20°







The colours shown here are reproduced as close to the original as printing technology allows. For best accuracy on colour selection, refer to actual tile.

Fittings











Roofing System Components for perfect finish, water-tightness and heat reflection



Compact Roll to ventilate ridges and hips



Easyflash for waterproof abutments



Valley Metal Sheet for water



Veltisun RadenShield for waterproofing and heat reduction



Radiant Barrier for heat reduction

52/590(1), Common Wealth Village, Olavakkode Road, Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com



Authorized Roofing Partner


https://www.facebook.com/ssindustriespkd/





COLLADO

Imported Clay Roof Tile







Natural Red

www.ssgroup4u.com







Timeless Elegance Inspired by Colonial Heritage

Marsella Collado tiles offer timeless elegance, drawing inspiration from rich colonial heritage. These unique Marseille designs celebrate the cultural tapestry and architectural grandeur of historic regions, grandeur of regions with historical significance.

With Marsella Collado tiles, historical influences blend seamlessly with contemporary aesthetics, catering to those who appreciate the fusion of past and present. Create spaces that resonate with a sense of history and sophisticated charm, making every home a testament to enduring beauty.

Marsella Collado offer the perfect blend of aesthetic elegance and enduring durability, providing a roofing solution that enhances the beauty and value of your home while standing the test of time



ENHANCED



STRONG & **DURABLE**



ELEGANT



40MM VERSATILE

PRODUCT & TECHNICAL DA	TA	
Number of Tiles per m²	12.0 - 13.5	
Dimensions (cm)	43.2 x 26.2	
Batten Gauge (cm)	33.0 - 37.0	
Unit Weight (kg)	3.3	
Laying	Broken bond	
Minimum Pitch	(20°)	

Roofing System Components for perfect finish, water-tightness and heat reflection







Compact Roll to ventilate ridges and hips

Easyflash for waterproof

Valley Metal Sheet orienteering





Veltisun RadenShield for waterproofing and heat reduction

Radiant Barrier reduction

52/590(1), Common Wealth Village, Olavakkode Road. Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com PH: 9946000868, 9562900068, 9562933368




https://www.facebook.com/ssindustriespkd/




https://www.instagram.com/ss_industries_and_marketing/



chat @ 9946000868







Elabana ensures a beautiful roof with a range of attractive colours and peace of mind for years to come.

Dimension		330mm (W) x 420mm (L)	
Batten Spacing*		295mm - 345mm	
Headlap		75mm - 125mm	
Coverage		9.7pcs/m² (based on 75mm headlap)	
Weight	Weight/piece	4.1kg - 4.2kg	
	Weight/m²	40.7kg/m² (-2.9kg/m²)	
Minimum Pitch		17.5≎	



In view of innovation, the specifications are subject to change without any prior notice and in the event of such changes, BMI MONIER® shall ensure that the new specifications are equivalent if not better.

Coverage and unit weight of tiles at various slopes

Slope (in degrees)	Minimum overlapping	Maximum batten space	Number of tiles	Unit weight
>17 and <27	100 mm	320 mm	0.966 / sq ft	± 4 kg / sq ft
>27	75 mm	345 mm	0.89 / sq ft	± 3.7 kg / sq ft




High quality toolings were used to produce BMI Monier Elabana roof tiles which gives it the dimensional consistency in shape and size to ensure high level of roof performance.




Moulded with precision and uniformity to ensure dimensional stability for a consistent and perfect fit each time. Tiles can be laid cross bond and straight bond fashion.




The unique round nose, improves ageing by delaying fungus and algae growth at the nose of the tile. This feature is well-matched and suitable for Indian weather.






Advantages over other roofing tiles:

- Easy installation
- Double grooved tiles with variable overlap
- Wide range of long-lasting plain and double-tone colours
- Complete range of fittings
- High breaking strength





- Dimensional stability and low water absorption
- Three decompression chambers under the tile improves water-tightness at the tile overlapping area
- Low energy consuming manufacturing process
- Unmatched production capacity in India

Colours



Fittings

Ridge and Hips

Perfect finishing for your roof



Ridge End



Ridge Tile



Hip Starter



3-Way Apex



4-Way Apex

Barge

Aesthetic Way to protect the top of your walls and to safely finish your roof



Barge Tile



Vent Tile

Brings additional ventilation between tiles and the concrete deck or the underlay



Vent Tile

Twin Mini Tile

Twin Mini Tile

Mainly for balcony roofs and windows shades coverage - 15 tiles / sq.m

Roof System Components for perfect finish, water-tightness and skylight



Compact Roll to ventilate ridges and hips



Easyflash for waterproof abutments



Valley Metal Sheet for water orienteering



Veltisun RadenShield for waterproofing and heat reduction



Radiant Barrier for heat reduction



Translucent Tile natural light



52/590(1), Common Wealth Village, Olavakkode Road, Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com



https://www.facebook.com/ssindustriespkd/

https://www.instagram.com/ss_industries_and_marketing/

D chat @ 9946000868

Authorized Roofing Partner



PH: 9946000868, 9562900068, 9562933368



PLANC FLAT MINERAL ROOF TILES

MONIER

Features

- Absolute flat surface
- High breaking strength: > 220 kg / cm2
- Low water absorption : < 7 %</p>
- Durable mono and antique colours available



Technical Data

Width & Height	330 mm x 420 mm
Weight	5.0 to 5.15 kg
Batten space	320 mm to 345 mm
Tile/sqm	10 pcs
Min slope Reqmt	25 Degree









Coverage and unit weight of tiles at various slopes

Slope (in degrees)	Minimum overlapping	Maximum batten space	Number of tiles	Unit weight
>25 and <35	100 mm	320 mm	0.966 / sq.ft	± 4.83 kg / sq.ft
>35	75 mm	345 mm	0.890 / sq.ft	± 4.45 kg / sq.ft

Fittings

Ridge and Hip Perfect finishing for your roof



Ridge End




Ridge Tile



Hip Starter









Barge Aesthetic Way to protect the top of your walls and to safely finish your roof

















Easyflash for waterproof abutments



Valley Metal Sheet for water orienteering



Veltisun





Radiant Barrier RadenShield for waterproofing and heat reduction reduction

Translucent Tile natural light

52/590(1), Common Wealth Village, Olavakkode Road, Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com






[6] https://www.instagram.com/ss_industries_and_marketing/

D chat @ 9946000868

Authorized Roofing Partner





ROMANA LIGHT

LIGHT WEIGHT MINERAL ROOF TILES

Features

- Light weight & Stylish design
- Improved top coat
- High breaking strength
- Low water absorption
- Durable and attractive colours



Technical Data

Width & Height	330 mm x 420 mm
Weight / tile	3.6 to 3.8 kg
Batten space	345 mm
Tile / sqm	9.7 pcs
Min slope Reqmt	200

MONIER









Red

Deep Brown

Dark Grey

Graphite

Coverage and unit weight of tiles at various slopes

Slope (in degrees)	Minimum overlapping	Maximum batten space	Coverage	Weight
>270	75 mm	345 mm	0.890 / sq ft	+ 2.94 kg / sq ft
>200 to <270	100 mm	320 mm	0.966 / sq ft	+ 3,19 kg / sq ft

Fittings





Ridge Tile









Barge End

Roof System Components for perfect finish, water-tightness and skylight



Compact Roll Plus



Easyflash




Valley Metal Sheet




Veltisun Radenshield



Radiant Barrier



Romana light should be laid in break joint only



52/590(1), Common Wealth Village, Olavakkode Road, Palakkad - 678002

www.ssgroup4u.com | ssmarketing5005@gmail.com



Authorized Roofing Partner



https://www.instagram.com/ss_industries_and_marketing/

D chat @ 9946000868

Flat Roof Tiles











Matt Black

Antique Red

Wave Premium Roof Tiles























Lux Roof Tiles













According to European Standard



Light Weight



Frost Resistant



Thermal Insulation



Impermeability



Durable



Flexural Strength









Premium Clay Roof Tiles









Antique White Dot





Leaf Green





Antique Forest




Antique Black Dot



Antique Galaxy









Cloud Grey

Antique Charred Brown Antique Santy Brown Antique Polar

Antique Shady Brown

Antique Artistic

Night Black

Classy Dark Brown

Sea Blue


























































Dragon Series






















































Asphalt Eurasia/ Europa Series

























Tile Size: 1340×420mm

Coverage: 2 pcs = 1 square meter

Weight: 5.6 kgs per square after install







35/306(5), Common Wealth Village Olavakode Road, Palakkad - 678002

ph: 9946000868 - 9562900068 - 9562911168 9562922268 - 9562933368 - 9562944468



OUR PRIVILEGED

CLIENTS



FOOD CORPORATION OF INDIA



GOVERNMENT OF KERALA



MCDONALD'S, PALAKKAD



KOCHI CORPORATION



GURUVAYUR DEVASWOM



KINFRA



ANNAPURNA GROUP OF HOTELS



WISE PARK



INDIAN INSTITUTE OF TECHNOLOGY, PALAKKAD



MK GAS TECH



2000+ HAPPY CUSTOMERS

FROM CONCEPT TO COMPLETION, OUR PROJECTS TELL

A STORY OF SUCCESS



































































PRE-ENGINEERED BUILDING (PEB)


































































































TILE ROOFS














































































































































































































































































































































































































































































































































































SPACE FRAME



























































Palakkad

Door No. 35/506 (5), Common Wealth Village, Olavakkode Road, Palakkad, Kerala 678002

- **491 99460 00868, +91 +91 95629 00068, +91 95629 33368**
- **www.ssgroup4u.com** ⋈ ssmarketing5005@gmail.com

